

Claims

-- 1. (Currently Amended)

An ink jet recording sheet comprising a non-water absorptive support having thereon an ink absorptive layer comprising:

- (i) polyvinyl alcohol;
- (ii) a cationic polymer; and
- (iii) a compound selected from the group
consisting of [basic aluminum chloride]⁴,
basic aluminum sulfate, basic aluminum⁴
silicate, zirconyl carbonate, ammonium
zirconyl carbonate, [zirconyl acetate],
zirconyl nitrate, zirconium³ oxychloride,
zirconium lactate, and zirconyl citrate;
containing a zirconium or aluminum atom
other than zirconium oxide and aluminum
oxide;
- Al* *zirconyl chloride*
New matter page 25

wherein a surface pH of said ink absorptive layer is 4 to 6 measured 30 minutes after receiving a water based ink of pH range 6 to 9 jetted from an ink jet printer in an amount of 20 ml/m². --

-- 2. (Original)

The ink jet recording sheet of claim 1, wherein an average molecular weight of the cationic polymer is between 5,000 and 100,000. --

Claims 3 and 4 Cancelled.

-- 5. (Original)

The ink jet recording sheet of claim 1, wherein the surface pH of said ink absorptive layer is 4.5 to 5.5 measured 30 minutes after receiving a water based ink of pH range 6 to 9 jetted from an ink jet printer in an amount of 20 ml/m². --

Al

-- 6. (Original)

The ink jet recording sheet of claim 1, wherein the ink absorptive layer is a porous layer. --


-- 7. (Original)

The ink jet recording sheet of claim 1, wherein said ink absorptive layer comprises boric acid or a salt thereof in an amount of 2 to 30 millimol per m² of said ink absorptive layer, and a surface pH of said ink absorptive layer prior to receiving ink is from 3.5 to 5.5. --

-- 8. (Original)

The ink jet recording sheet of claim 1, wherein said cationic polymer is represented by Formula (1),

Formula (1),




wherein R represents a hydrogen atom or an alkyl group; R₁, R₂, and R₃ each represent an alkyl group or a benzyl group; J represents a bond or a divalent organic group; X⁻ represents an anion group. --

-- 9. (Original)

The ink jet recording sheet of claim 1,
wherein said ink absorptive layer comprises at least two ink
absorptive layers,
wherein said cationic polymer in said ink absorptive layer
farthest from said non-water absorptive support comprises a
repeating unit represented by Formula (1),

Formula (1),



wherein R represents a hydrogen atom or an alkyl group; R₁,
R₂, and R₃ each represent an alkyl group or a benzyl group; J
represents a bond or a divalent organic group; X⁻ represents
an anion group. --

A

--10. (New Claim)

The ink jet recording sheet of claim 1, wherein the
ink absorptive layer comprises the compound in an amount
of 0.1 to 5 g/m². --